# FVOLUTION.

## **4K HDMI® Splitters**

with EDID and Scaling

### 4K HDMI® 1x2 Splitter with EDID and Scaling

- Transmits audio and video from a single source to 2 HDMI outputs up to 4K2K (2160p) Ultra High Definition resolution without any loss of quality or resolution
- Supports 4K and 1080p resolutions simultaneously; downscales to 1080p for lower resolution displays while maintaining 4K on other outputs
- Supports up to 4K@60Hz with 8 bit YCBCR and 4:4:4 color sampling
- Supports up to 4K@60Hz with 10 bit YCBCR, 4:2:0 color sampling and HDR
- HDCP 2.2 and 1.4 compliant
- Wide frequency range: 25MHz~600MHz
- High bandwidth:18Gbps
- Features EDID management
- Micro-USB firmware update for expanding compatibility
- Dimensions: 3.75" W x 2.25" H x 1.6" D
- Part Number: EVSP12SC



#### 4K HDMI® 1x4 Splitter with EDID and Scaling

- Transmits audio and video from a single source to 4 HDMI outputs up to 4K2K (2160p) Ultra High Definition resolution without any loss of quality or resolution
- Supports 4K and 1080p resolutions simultaneously; downscales to 1080p for lower resolution displays while maintaining 4K on other outputs
- Supports up to 4K@60Hz with 8 bit YCBCR and 4:4:4 color sampling
- Supports up to 4K@60Hz with 10 bit YCBCR, 4:2:0 color sampling and HDR
- HDCP 2.2 and 1.4 compliant
- Wide frequency range: 25MHz~600MHz
- High bandwidth:18Gbps
- Features EDID management
- Micro-USB firmware update for expanding compatibility
- Dimensions: 3.75" W x 2.25" H x 1.6" D

Part Number: EVSP14SC

#### 4K HDMI® 1x8 Splitter with EDID and Scaling

- Transmits audio and video from a single source to 8 HDMI outputs up to 4K2K (2160p) Ultra High Definition resolution without any loss of quality or resolution
- Supports 4K and 1080p resolutions simultaneously; downscales to 1080p for lower resolution displays while maintaining 4K on other outputs
- Supports up to 4K@60Hz with 8 bit color, and 4:4:4 color sampling
- Supports up to 4K@60Hz with 10 bit color, and 4:2:0 color sampling and HDR
- HDCP 2.2 and 1.4 compliant
- Wide frequency range: 25MHz~600MHz
- High bandwidth:18Gbps
- Features EDID management
- Micro-USB firmware update for expanding compatibility
- Dimensions: 9.1" W x 2.7" H x .9" D

#### Part Number: EVSP18SC



