

PX110MK2

Service Manual



www.audac.eu

Index

Specifications	4
Technical Drawing	5
Part List	6
Crossover network	7
Personal Notes	8

Specifications





SYSTEM SPECIFICATIONS

Max power	350 W
RMS power	180 W
Impedance speaker	8 Ohm
Sound pressure 1W/1m	98 dB
Sound pressure Max W/1m	120 dB
Frequency response –3dB	80 Hz – 18 kHz
Frequency range –10dB	65 Hz – 20 kHz
Cross-over frequency	2.5 kHz
Crossover network	Passive built-in
Horizontal coverage	90°
Vertical coverage	60°

PRODUCT FEATURES

Dimensions (Width x Height x Depth)	315 x 545 x 320 mm
Weight net	17.5 Kg
Drivers	HF 1" / MF 10"
Connectors	2 x Speakon NL4MP Neutrik
Construction	Medium density wood with EPDM black coating
Front finish	Perforated steel grill
Rigging flying points	12 x M10
Carry handles	One at the side
Rigging stand fitting	Built-in bottom 35 mm + top M10
Colour	Black (RAL9005) PX110/B White (RAL9010) PX110/W

Technical Drawing



<p>PX110</p>	<p>Product description: LOUDSPEAKER CABINET 10" 2-WAY 175W RMS</p>
<p>Weight: 17,5 kg</p>	<p>Outer dimensions: (w x h x d) 315 x 543 x 320</p>
<p>Unit height: N/A</p>	

Part List

AUDAC Part code	Description	Q'TY
AU890110001	CARTON BOX FOR PX110MK2	1
	PX110 Cabinet	1
	GRILL 512 X 312 MM FOAM MOUNTED PX110	1
AU230110001	GRILL 512 X 312 MM FOAM MOUNTED PX110 BLACK	
AU230110002	GRILL 512 X 312 MM FOAM MOUNTED PX110 WHITE	
AU070505001	AUDAC DIAMOND CUT COLOR LOGO 50 X 50 MM	1
AU201008001	SPEAKER 10 INCH 8 OHM PX110	1
AU250000002	PLASTIC HORN 180 X 180 MM – 90° x 60°	1
AU200108001	Tweeter for PX108/110/VEX08 – 1” – 20 Watt – 8 Ohm – H257	1
AU210108257	RECONE HF FOR PX108/110/VEX08 – WITH COVER 8 OHM	
AU220110000	CROSSOVER NETWORK PX110 – MK2	1
AU241160110	CONNECTION BOARD 160 X 90 MM AL PX110	1
	ACOUSTIC DAMPING	1
AU041083011	Rubber foot 30x11 mm	4

Crossover network

